

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10 1	0	(@ad<"20000613").ad. and (xml and conver\$8) and split\$8 and (common with (key index identifier)) and (conver\$8 with (target destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 11:51
S10 2	2	"20020082932".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 16:39
S10 3	4	("6460038" "5946665").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 11:19
S10 4	4	("6460038" "5946665").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:25
S10 5	2	("6078891").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 11:18
S10 6	698	(@ad<"20000926").ad. and (directory and ldap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 11:30
S10 7	369	(@ad<"20000926").ad. and (directory and ldap) and hierarch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 11:30
S10 8	371	(@ad<"20000926").ad. and (directory and ldap) and hierarch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 11:32
S10 9	38	(@ad<"20000926").ad. and (directory and ldap) and hierarch\$5 and (yellow near5 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:19

EAST Search History

S11 0	37	(@ad<"20000926").ad. and (directory same ldap) and hierarch\$5 and (yellow near5 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 11:33
S11 1	37	(@ad<"20000926").ad. and (directory same ldap) and hierarch\$5 and (yellow near5 page) and (search\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 11:33
S11 2	35	(@ad<"20000926").ad. and (directory same ldap) and hierarch\$5 and (yellow near5 page) and (search\$5) and tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:41
S11 3	33	(@ad<"20000926").ad. and (directory same ldap) and hierarch\$5 and (yellow near5 page) and (search\$5 with (product item)) and tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:41
S11 4	64	(@ad<"20000926").ad. and (directory same ldap) and hierarch\$5 and (search\$5 with (product item)) and tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:50
S11 5	0	(@ad<"20000926").ad. and (directory same ldap) and hierarch\$5 and (search\$5 with (product item)) and GUID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:50
S11 6	24	(@ad<"20000926").ad. and (directory same ldap) and GUID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 12:50
S11 7	58	(@ad<"20000926").ad. and (directory same product same class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:24
S11 8	48	(@ad<"20000926").ad. and (directory same product same class) and search\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:24
S11 9	0	(@ad<"20000926").ad. and (directory same product same class) and search\$6 and (yellow adj3 pages)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 13:24

EAST Search History

S12 1	539	(@ad<"20000926").ad. and search\$6 and (yellow adj3 pages)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 15:24
S12 2	41	(@ad<"20000926").ad. and search\$6 and (yellow adj3 pages) and (data\$1base) and (internet and ldap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 15:25
S12 3	2	"6427175".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 14:00
S12 4	3	"6427175".pn. or ("6460038").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 14:00
S12 5	1	"20020082932".pn. and LDAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 15:21
S12 6	33	(@ad<"20000926").ad. and search\$6 and (yellow adj3 pages) and (central\$6 with data\$1base) and LDAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 15:24
S12 7	35	(@ad<"20000926").ad. and search\$6 and (yellow adj3 pages) and (data\$1base) and (internet and ldap) and (object with oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 15:27
S12 8	455	(i2).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 15:28
S12 9	21	(i2).as. and ldap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 15:28
S13 0	1	"20020082932".pn. and (object with hierarch\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 16:39

EAST Search History

S13 1	1	"20020082932".pn. and (object with hierarch\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 16:39
S13 2	127	(@ad<"20000926").ad. and (database with seller with (product service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:19
S13 3	203	(@ad<"20000926").ad. and (different with sell\$5 with different with (product\$5 service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:20
S13 4	274	(@ad<"20000926").ad. and (different with sell\$5 with different with (product\$5 service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:20
S13 5	4	(@ad<"20000926").ad. and (different adj3 sell\$5 adj3 different adj3 (product\$5 service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:22
S13 6	0	(@ad<"20000926").ad. and (different adj3 sell\$5 adj3 different adj3 (product\$5 service)) same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:22
S13 7	0	(@ad<"20000926").ad. and (different adj3 sell\$5 adj3 different adj3 (product\$5 service)) same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:22
S13 8	11	(@ad<"20000926").ad. and (different adj3 (vendor sell\$5) adj3 different adj3 (item product\$5 service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:45
S13 9	0	(@ad<"20000926").ad. and (different adj3 (vendor sell\$5) adj3 different adj3 (item product\$5 service)) same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:23
S14 0	8	"6460038"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:45

EAST Search History

S14 1	555	(@ad<"20000926").ad. and search\$6 and (yellow adj3 pages)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 16:01
S14 2	6	(@ad<"20000926").ad. and I2 and ldap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 16:01
S14 3	3	(@ad<"19990926").ad. and I2 and ldap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 16:16
S14 4	211	(@ad<"19990926").ad. and ldap and global	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 16:16
S14 5	0	"20020082932".pn.	USPAT	OR	OFF	2006/09/04 11:54
S14 6	2	"20020082932".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 11:54
S14 7	2	("6460038").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 10:54
S14 8	1	("6460038").pn. and global	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 10:55
S14 9	0	("6460038").pn. and directory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 10:55

EAST Search History

S15 0	0	"20020082932".pn. and pointer	USPAT	OR	OFF	2006/09/04 11:54
S15 1	2	"20020082932".pn. and pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 12:44
S15 2	2	("5931900").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 12:44
S15 3	72	(@ad<"20000613").ad. and ((seller vendor merchant) with (sell\$5 sale) with (different)with (good service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:42
S15 4	72	(@ad<"20000613").ad. and ((seller vendor merchant) with (sell\$5 sale) with (different) with (good service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:43
S15 5	0	(@ad<"20000613").ad. and "different sellers sell different products and services "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:43
S15 6	5	(@ad<"20000613").ad. and (different with sellers with sell with different with (products services))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:44
S15 7	5	(@ad<"20000613").ad. and (sellers with sell with different with (products services))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:44
S15 8	0	(@ad<"20000613").ad. and ((delta and gap) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:45

EAST Search History

S15 9	0	(@ad<"20000613").ad. and ((delta and travelocity and avis))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:46
S16 0	254	(@ad<"20000613").ad. and ((delta travelocity avis) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:46
S16 1	40	(@ad<"20000613").ad. and (((delta and travelocity) avis) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:46
S16 2	214	(@ad<"20000613").ad. and ((delta travelocity (avis adj3 car adj3 rental)) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:47
S16 3	0	(@ad<"20000613").ad. and (((avis adj3 car adj3 rental)) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:47
S16 4	35	(@ad<"20000613").ad. and (((car adj3 rental)) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:47
S16 5	0	(@ad<"20000613").ad. and (((car adj3 rental)) with database) and avis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:47
S16 6	1	(@ad<"20000613").ad. and (((avis adj3 car adj3 rental)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:50
S16 7	834	(@ad<"20000613").ad. and (distinct with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:49
S16 8	0	(@ad<"20000613").ad. and (distinct with database) and (travelocity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:49

EAST Search History

S16 9	66	(@ad<"20000613").ad. and (distinct with database) and (delta)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:49
S17 0	224	(@ad<"20000613").ad. and (delta with database) (avis adj3 car adj3 rent\$5) (travelocity with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:50
S17 1	214	(@ad<"20000613").ad. and (delta with database) (avis adj3 car adj3 rent\$5) and(travelocity with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:50
S17 2	0	(@ad<"20000613").ad. and (delta with database) and (avis adj3 car adj3 rent\$5) and(travelocity with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:51
S17 3	2	(@ad<"20000613").ad. and (((avis with car with rental)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:50
S17 4	0	(@ad<"20000613").ad. and (delta with database) and (car adj3 rent\$5) and(travelocity with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:51
S17 5	0	(@ad<"20000613").ad. and (delta) and (car adj3 rent\$5) and(travelocity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:51
S17 6	299	(@ad<"20000613").ad. and delorme.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:51
S17 7	1	(@ad<"20000613").ad. and delorme.in. and (airline and hotel and travel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:52
S17 8	1	(@ad<"20000613").ad. and delorme.in. and ((airline and hotel and travel) same database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:52

EAST Search History

S17 9	4803	(@ad<"20000613").ad. and ((separate distinc) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:53
S18 0	52	(@ad<"20000613").ad. and ((separate distinct) with database) with (seller vendor merchant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:54
S18 1	6	(@ad<"20000613").ad. and distribut\$5 same ((separate distinct) with database) with (seller vendor merchant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:55
S18 2	6	(@ad<"20000613").ad. and (distribut\$5 with database) same ((separate distinct) with database) with (seller vendor merchant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:55
S18 3	317	(@ad<"20000613").ad. and (distribut\$5 with database) same ((separate distinct) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:55
S18 4	217	(@ad<"20000613").ad. and (distribut\$5 with database) with ((separate distinct) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:55
S18 5	217	(@ad<"20000613").ad. and (distribut\$5 with database with (separate distinct))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:56
S18 6	2	(@ad<"20000613").ad. and (distribut\$5 with database with (separate and distinct))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:56
S18 7	3781	(@ad<"20000613").ad. and (distribut\$5 with (catalog\$5 database)) and (web www internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:59
S18 8	116	(@ad<"20000613").ad. and (distribut\$5 with (vendor merchant seller) with (catalog\$5 database)) and (web www internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 14:59

EAST Search History

S189	16	(@ad<"20000613").ad. and (distribut\$5 with (different unique distinct) with (vendor merchant seller) with (catalog\$5 database)) and (web www internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:00
S190	13	(@ad<"20000613").ad. and (distribut\$5 with (different unique distinct) with (vendor merchant seller) with (catalog\$5 database)) and (web www internet) and (bub\$5 sell\$5) and url and pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:01
S191	436	(@ad<"20000613").ad. and (distribut\$5 with (catalog\$5 database)) and (different unique distinct) with (vendor merchant seller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:01
S192	333	(@ad<"20000613").ad. and (distribut\$5 with (catalog\$5 database)) and (different unique distinct) with (vendor merchant seller) and (web url hierarchy ldap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:02
S193	7	(@ad<"20000613").ad. and (distribut\$5 with (catalog\$5 database)) and (different unique distinct) with (vendor merchant seller) and (web url hierarchy ldap) and I2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:02
S194	0	(@ad<"20000613").ad. and (i2).as. and (distribut\$5 with (catalog\$5 database)) and (different unique distinct) with (vendor merchant seller) and (web url hierarchy ldap) and I2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:02
S195	0	(@ad<"20000613").ad. and (i2).as. and (distribut\$5 with (catalog\$5 database)) and (different unique distinct) with (vendor merchant seller) \	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:03
S196	0	(@ad<"20000613").ad. and (i2).as. and (distribut\$5 with (catalog\$5 database)) and (different unique distinct) with (vendor merchant seller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:03
S197	170	(@ad<"20000613").ad. and (i2).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:03

EAST Search History

S19 8	4	(@ad<"20000613").ad. and (i2).as. and (distribut\$5 with (catalog\$5 database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:03
S19 9	0	(@pd<"19990613").ad. and (i2).as. and (distribut\$5 with (catalog\$5 database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:04
S20 0	43	(@pd<"19990926").pd. and (i2).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:04
S20 1	0	(@pd<"19990926").pd. and (i2).as. and (distribut\$5 with (catalog\$5 database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:05
S20 2	2	(@pd<"19990926").pd. and (i2).as. and (distribut\$5 same (catalog\$5 database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:05
S20 3	5799	(@pd<"19990926").pd. and (distribut\$5 same (catalog\$5 database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:05
S20 4	70	(@pd<"19990926").pd. and (distribut\$5 same (catalog\$5 database)) and (different unique distinct) with (vendor merchant seller) and (web url hierarchy ldap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:06
S20 5	6	(@pd<"19990926").pd. and (distribut\$5 same (catalog\$5 database)) same (different unique distinct) with (vendor merchant seller) and (web url hierarchy ldap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:07
S20 6	0	(@pd<"19990926").pd. and (distribut\$5 same (catalog\$5 database)) same portal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:07
S20 7	10366	(@pd<"19990926").pd. and portal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:07

EAST Search History

S20 8	7	(@pd<"19990926").pd. and portal and (distribut\$5 with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:08
S20 9	3	(@pd<"19990926").pd. and (web internet) and portal and (distribut\$5 with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:08
S21 0	385	(@ad<"20000920").ad. and (distribut\$5 with (database system catalog)) and ((web internet www) with (portal mall))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:21
S21 1	42	(@ad<"20000920").ad. and (distribut\$5 with (database system catalog)) and ((web internet www) with (portal mall)) and (air and car and hotel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:41
S21 2	2	("6460038").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:23
S21 3	9	("6460038").URPN.	USPAT	OR	OFF	2006/09/04 15:23
S21 4	0	("6460038").URPN. and (distribut\$5 with (catalog databse))	USPAT	OR	OFF	2006/09/04 15:23
S21 5	0	("6460038").URPN. and (distribut\$5 with (catalog databse))	USPAT	OR	ON	2006/09/04 15:23
S21 6	0	("6460038").URPN. and (databse)	USPAT	OR	OFF	2006/09/04 15:23
S21 7	8	("6460038").URPN. and (database)	USPAT	OR	OFF	2006/09/04 15:40
S21 8	1	("6094680").pn.	USPAT	OR	OFF	2006/09/04 15:39
S21 9	2	("6460038").URPN. and (database same distribut\$5)	USPAT	OR	OFF	2006/09/04 15:40
S22 0	2	("6460038").URPN. and (database same distribut\$5)	USPAT	OR	ON	2006/09/04 15:40
S22 1	641	(@ad<"20000920").ad. and (database adj "32")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:42

EAST Search History

S22 2	82	(@ad<"20000920").ad. and (database adj "32") and (distribut\$5 with (database catalog))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:42
S22 3	0	(@ad<"20000920").ad. and (database adj "32") and (distribut\$5 with (database catalog)) and (i2). as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:42
S22 4	0	(@ad<"20000920").ad. and (database adj "32") and (i2).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:42
S22 5	1	(@ad<"20000920").ad. and (i2).as. and (distribut\$5 with (databse catalog))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:43
S22 6	5	(@ad<"20000920").ad. and (i2).as. and (distribut\$5 with (database catalog))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 15:43